

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	184	((g01f025/00.ipc. (73/1.16 73/1.18 73/1.19 73/1.22 73/1.23 73/1.17 73/1.21).ocls.) and ((moving moved move piston mover plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser support supported supporter supporting))) (((calibrate calibrated calibrator calibration calibrating calibrator prover proving proved prove) near10 (flow flowed flowing flowmeter flowmetering flowmetered)) same ((moving moved move piston mover plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser support supported supporter supporting)))	USPAT	OR	ON	2008/09/19 10:09

L9	10	(US-3848621-\$ US-3504523-\$ US-3232090-\$ US-5481900-\$ US-5456107-\$ US-5392632-\$ US-5111682-\$ US-4947675-\$ US-4766759-\$ US-RE32157-\$ US-4537058-\$ US-RE31432-\$ US-3911724-\$ US-3889708-\$ US-3738153-\$ US-3720089-\$ US-3638475-\$).did.	DERWENT	OR	ON	2008/09/19 11:26
L11	1	1993-127250.NRAN.	DERWENT	OR	ON	2008/09/19 11:27
L12	1	1992-433793.NRAN.	DERWENT	OR	ON	2008/09/19 11:28
L13	2	(us-4152922-\$ us-4372147-\$).did.	DERWENT	OR	ON	2008/09/19 11:52
L14	1	1983-C7621K.NRAN.	DERWENT	OR	ON	2008/09/19 11:53
L15	1	1979-E7037B.NRAN.	DERWENT	OR	ON	2008/09/19 11:54
L16	2	(GB-2260616-\$ WO-9221941-\$ GB-2128755-\$ GB-2023295-\$).did.	EPO	OR	ON	2008/09/19 11:59
S1	2	("3423988" "3668923").PN.	USPAT	OR	ON	2008/09/16 10:17
S2	0	jp-510110558-\$).did.	FPRS; JPO; DERWENT	OR	ON	2008/09/16 10:22
S26	0	1991jp-0299785.ap.	JPO; DERWENT	OR	ON	2008/09/16 11:57
S27	0	1991jp-0299785.prai.	JPO; DERWENT	OR	ON	2008/09/16 11:57
S28	1	(73/1.16 73/1.18 73/1.19 73/1.22 73/1.23 73/1.17 73/1.21).ccls.	FPRS	OR	ON	2008/09/16 16:29
S29	46	(73/1.16 73/1.18 73/1.19 73/1.22 73/1.23 73/1.17 73/1.21).ccls.	EPO	OR	ON	2008/09/16 16:30
S30	114	(73/1.16 73/1.18 73/1.19 73/1.22 73/1.23 73/1.17 73/1.21).ccls.	JPO	OR	ON	2008/09/16 16:32
S31	63	(73/1.16 73/1.18 73/1.19 73/1.22 73/1.23 73/1.17 73/1.21).ccls.	US-PGPUB	OR	ON	2008/09/16 16:40
S32	1	US-20070119227-\$).did.	DERWENT	OR	ON	2008/09/16 16:45

S33	1	2005-473481.NRAN.	DERWENT	OR	ON	2008/09/16 16:45
S34	55	(73/1.16 73/1.18 73/1.19 73/1.22 73/1.23 73/1.17 73/1.21).ccls.	USOCR	OR	ON	2008/09/16 16:46
S35	264	(73/1.16 73/1.18 73/1.19 73/1.22 73/1.23 73/1.17 73/1.21).ccls.	USPAT	OR	ON	2008/09/16 16:55
S36	0	((calibrate calibrated calibrator calibration calibrating calibrator prover proving proved prove) near10 (flow flowed flowing flowmeter flowmetering flowmetered)) and (((reference referenced referencing standard standardized standardized standardizing standardization standardizationer standardizationing standardizationed calibrate calibrated calibrator calibration calibrating calibrator prover proving proved prove) near6 (volume volumetric volumetrical volumetrically) near6 (tube tubed tubing pipe piping piped)) with ((moving moved move piston mover plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser support supported supporter supporting)))	IBM_TDB	OR	ON	2008/09/17 11:21

S37	0	((calibrate calibrated calibrator calibration calibrating calibrator prover proving proved prove) near10 (flow flowed flowing flowmeter flowmetering flowmetered)) and (((reference referenced referencing standard standardized standardized standardizing standardization standardizationer standardizationing standardizationed calibrate calibrated calibrator calibration calibrating calibrator prover proving proved prove) near6 (volume volumetric volumetrical volumetrically) near6 (tube tubed tubing pipe piping piped)) with ((moving moved move piston mover plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser support supported supporter supporting)))	FPRS	OR	ON	2008/09/17 11:21
S38	0	((calibrate calibrated calibrator calibration calibrating calibrator prover proving proved prove) near10 (flow flowed flowing flowmeter flowmetering flowmetered)) and (((reference referenced referencing standard standardized standardized standardizing standardization standardizationer	EPO	OR	ON	2008/09/17 11:21

((calibrate calibrated calibrator calibration calibrating calibrator prover proving proved prove) near10 (flow flowed flowing flowmeter flowmetering flowmetered)) and (((reference referenced referencing standard standardized standardizing standardization standardizationer standardizationing standardizationed calibrate calibrated calibrator calibration calibrating calibrator prover proving proved prove) near6 (volume volumetric volumetrical volumetrically) near6 (tube tubed tubing pipe piping piped)) with ((moving moved move piston mover plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser support supported supporter supporting)))

S41	1	((calibrate calibrated calibrator calibration calibrating calibrator prover proving proved prove) near10 (flow flowed flowing flowmeter flowmetering flowmetered)) and (((reference referenced referencing standard standardized standardized standardizing standardization standardization standardization standardization standardization standardization calibrate calibrated calibrator calibration calibrating calibrator prover proving proved prove) near6 (volume volumetric volumetrical volumetrically) near6 (tube tubed tubing pipe piping piped)) with ((moving moved move piston mover plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser support supported supporter supporting)))	US-PGPUB	OR	ON	2008/09/17 11:23
S42	0	((calibrate calibrated calibrator calibration calibrating calibrator prover proving proved prove) near10 (flow flowed flowing flowmeter flowmetering flowmetered)) and (((reference referenced referencing standard standardized standardized standardizing standardization standardization standardization standardization standardization standardization calibrate calibrated calibrator calibration calibrating calibrator prover proving proved prove) near6 (volume volumetric volumetrical volumetrically) near6 (tube tubed tubing pipe piping piped)) with ((moving moved move piston mover plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser support supported supporter supporting)))	USOCR	OR	ON	2008/09/17 11:24

		standardization standardized calibrate calibrated calibrator calibration calibrating calibrator prover proving proved prove) near6 (volume volumetric volumetrical volumetrically) near6 (tube tubed tubing pipe piping piped)) with ((moving moved move piston mover plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser support supported supporter supporting)))				
S43	0	((calibrate calibrated calibrator calibration calibrating calibrator prover proving proved prove) near10 (flow flowed flowing flowmeter flowmetering flowmetered)) and (((reference referenced referencing standard standardized standardized standardizing standardization standardization standardization standardization standardization standardization calibrate calibrated calibrator calibration calibrating calibrator prover proving proved prove) near6 (volume volumetric volumetrical volumetrically) near6 (tube tubed tubing pipe piping piped)) with ((moving moved move piston mover plunger sphere spherical spherically ball ballshaped	USPAT	OR	ON	2008/09/17 11:24

		sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser support supported supporter supporting)))				
S44	0	((reference referenced referencing standard standardized standardized standardizing standardization standardizationer standardizationing standardizationed calibrate calibrated calibrator calibration calibrating calibrator prover proving proved prove) near6 (volume volumetric volumetrical volumetrically) near6 (tube tubed tubing pipe piping piped)) with ((moving moved move piston mover plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser support supported supporter supporting))	IBM_TDB	OR	ON	2008/09/17 11:25
S45	0	((reference referenced referencing standard standardized standardized standardizing standardization standardizationer standardizationing standardizationed calibrate calibrated calibrator calibration calibrating calibrator prover proving proved prove) near6 (volume volumetric volumetrical	FPRS	OR	ON	2008/09/17 11:25

		volumetrically) near6 (tube tubed tubing pipe piping piped)) with ((moving moved move piston mover plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser support supported supporter supporting))				
S46	0	((reference referenced referencing standard standardized standardized standardizing standardization standardization standardization standardization standardization standardization calibrate calibrated calibrator calibration calibrating calibrator prover proving proved prove) near6 (volume volumetric volumetrical volumetrically) near6 (tube tubed tubing pipe piping piped)) with ((moving moved move piston mover plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser support supported supporter supporting))	EPO	OR	ON	2008/09/17 11:25

S47	0	((reference referenced referencing standard standardized standardized standardizing standardization standardization standardization standardization standardization standardization calibrate calibrated calibrator calibration calibrating calibrator prover proving proved prove) near6 (volume volumetric volumetrical volumetrically) near6 (tube tubed tubing pipe piping piped)) with ((moving moved move piston mover plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser support supported supporter supporting))	JPO	OR	ON	2008/09/17 11:25
S48	1	((reference referenced referencing standard standardized standardized standardizing standardization standardization standardization standardization standardization standardization calibrate calibrated calibrator calibration calibrating calibrator prover proving proved prove) near6 (volume volumetric volumetrical volumetrically) near6 (tube tubed tubing pipe piping piped)) with ((moving moved move piston mover plunger sphere spherical spherically ball ballshaped	DERWENT	OR	ON	2008/09/17 11:25

		sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser support supported supporter supporting))				
S49	1	((reference referenced referencing standard standardized standardized standardizing standardization standardizationer standardizationing standardizationed calibrate calibrated calibrator calibration calibrating calibrator prover proving proved prove) near6 (volume volumetric volumetrical volumetrically) near6 (tube tubed tubing pipe piping piped)) with ((moving moved move piston mover plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser support supported supporter supporting))	US-PGPUB	OR	ON	2008/09/17 11:26
S50	0	((reference referenced referencing standard standardized standardized standardizing standardization standardizationer standardizationing standardizationed calibrate calibrated calibrator calibration calibrating calibrator prover proving proved prove) near6 (volume volumetric volumetrical	USOCR	OR	ON	2008/09/17 11:26

		volumetrically) near6 (tube tubed tubing pipe piping piped)) with ((moving moved move piston mover plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser support supported supporter supporting))				
S51	0	((reference referenced referencing standard standardized standardized standardizing standardization standardization standardization standardization standardization standardization calibrate calibrated calibrator calibration calibrating calibrator prover proving proved prove) near6 (volume volumetric volumetrical volumetrically) near6 (tube tubed tubing pipe piping piped)) with ((moving moved move piston mover plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser support supported supporter supporting))	USPAT	OR	ON	2008/09/17 11:26

S52	0	((calibrate calibrated calibrator calibration calibrating calibrator prover proving proved prove) near10 (flow flowed flowing flowmeter flowmetering flowmetered)) and ((moving moved move piston mover plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser support supported supporter supporting))	IBM_TDB	OR	ON	2008/09/17 11:28
S53	3	(moving moved move piston mover plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser support supported supporter supporting)	FPRS	OR	ON	2008/09/17 11:29
S54	5	(g01f025/00.ipc. ((calibrate calibrated calibrator calibration calibrating calibrator prover proving proved prove) near10 (flow flowed flowing flowmeter flowmetering flowmetered)) (73/1.16 73/1.18 73/1.19 73/1.22 73/1.23 73/1.17 73/1.21). ccls.) and ((moving moved move piston mover plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release	EPO	OR	ON	2008/09/17 11:33

		released releasing releaser support supported supporter supporting))				
S55	5	(g01f025/00.ipc. ((calibrate calibrated calibrator calibration calibrating calibrator prover proving proved prove) near10 (flow flowed flowing flowmeter flowmetering flowmetered)) (73/1.16 73/1.18 73/1.19 73/1.22 73/1.23 73/1.17 73/1.21). ccls.) and ((moving moved move piston mover plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser support supported supporter supporting))	JPO	OR	ON	2008/09/17 11:35
S56	1	(JP-09145454-\$ JP- 59170726-\$).did.	DERWENT	OR	ON	2008/09/17 11:40
S57	64	(g01f25/00.ipcr. ((calibrate calibrated calibrator calibration calibrating calibrator prover proving proved prove) near10 (flow flowed flowing flowmeter flowmetering flowmetered))) and ((moving moved move piston mover plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser support supported supporter supporting))	DERWENT	OR	ON	2008/09/17 11:41

S58	1	(GB-2129569-\$ GB-1231348-\$).did.	EPO	OR	ON	2008/09/17 13:25
S59	912	(g01f025/00.ipc. ((calibrate calibrated calibrator calibration calibrating calibrator prover proving proved prove) near10 (flow flowed flowing flowmeter flowmetering flowmetered)) (73/1.16 73/1.18 73/1.19 73/1.22 73/1.23 73/1.17 73/1.21). ccls.) and ((moving moved move piston mover plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser support supported supporter supporting))	US-PGPUB	OR	ON	2008/09/17 13:27
S60	857	(g01f025/00.ipc. ((calibrate calibrated calibrator calibration calibrating calibrator prover proving proved prove) near10 (flow flowed flowing flowmeter flowmetering flowmetered)) (73/1.16 73/1.18 73/1.19 73/1.22 73/1.23 73/1.17 73/1.21). ccls.) and ((moving moved move piston mover plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser support supported supporter supporting))	USOCR	OR	ON	2008/09/17 13:28

S61	34	((g01f025/00.ipc. 73/1.16 73/1.18 73/1.19 73/1.22 73/1.23 73/1.17 73/1.21).ccls.) and ((moving moved move piston mover plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser support supported supporter supporting))) (((calibrate calibrated calibrator calibration calibrating calibrator prover proving proved prove) near10 (flow flowed flowing flowmeter flowmetering flowmetered)) same ((moving moved move piston mover plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser support supported supporter supporting)))	US-PGPUB	OR	ON	2008/09/17 13:30
S62	40	((g01f025/00.ipc. 73/1.16 73/1.18 73/1.19 73/1.22 73/1.23 73/1.17 73/1.21).ccls.) and ((moving moved move piston mover plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser support supported supporter supporting))) (((calibrate	USOCR	OR	ON	2008/09/17 13:30

		calibrated calibrator calibration calibrating calibrator prover proving proved prove) near10 (flow flowed flowing flowmeter flowmetering flowmetered)) with ((moving moved move piston mover plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser support supported supporter supporting)))				
S64	28	((g01f025/00.ipc. 73/1.16 73/1.18 73/1.19 73/1.22 73/1.23 73/1.17 73/1.21).ccs.) and ((moving moved move piston mover plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser support supported supporter supporting))) (((calibrate calibrated calibrator calibration calibrating calibrator prover proving proved prove) near10 (flow flowed flowing flowmeter flowmetering flowmetered)) same ((moving piston plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser support supported supporter	US-PGPUB	OR	ON	2008/09/17 13:32

		supporting)))				
S65	30	((g01f025/00.ipc. (73/1.16 73/1.18 73/1.19 73/1.22 73/1.23 73/1.17 73/1.21).ccls.) and ((moving moved move piston mover plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser support supported supporter supporting))) (((calibrate calibrated calibrator calibration calibrating calibrator prover proving proved prove) near10 (flow flowed flowing flowmeter flowmetering flowmetered)) with ((moving piston plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser support supported supporter supporting)))	USOCR	OR	ON	2008/09/17 13:33
S66	164	((g01f025/00.ipc. (73/1.16 73/1.18 73/1.19 73/1.22 73/1.23 73/1.17 73/1.21).ccls.) and ((moving moved move piston mover plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser support supported supporter supporting))) (((calibrate	USPAT	OR	ON	2008/09/17 13:33

		calibrated calibrator calibration calibrating calibrator prover proving proved prove) near10 (flow flowed flowing flowmeter flowmetering flowmetered)) same ((moving piston plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser support supported supporter supporting)))				
S67	22	((g01f025/00.ipc. (73/1.16 73/1.18 73/1.19 73/1.22 73/1.23 73/1.17 73/1.21).ccls.) and ((moving piston plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser support supported supporter supporting))) (((calibrate calibrated calibrator calibration calibrating calibrator prover proving proved prove) near10 (flow flowed flowing flowmeter flowmetering flowmetered)) same ((moving piston plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser support supported supporter supporting)))	US-PGPUB	OR	ON	2008/09/17 13:37

S68	28	((g01f025/00.ipc. (73/1.16 73/1.18 73/1.19 73/1.22 73/1.23 73/1.17 73/1.21).ccls.) and ((moving piston plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser support supported supporter supporting))) (((calibrate calibrated calibrator calibration calibrating calibrater prover proving proved prove) near10 (flow flowed flowing flowmeter flowmetering flowmetered)) with ((moving piston plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser support supported supporter supporting)))	USOCR	OR	ON	2008/09/17 13:38
S69	151	((g01f025/00.ipc. (73/1.16 73/1.18 73/1.19 73/1.22 73/1.23 73/1.17 73/1.21).ccls.) and ((moving piston plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser support supported supporter supporting))) (((calibrate calibrated calibrator calibration calibrating calibrater prover proving	USPAT	OR	ON	2008/09/17 13:39

		proved prove) near10 (flow flowed flowing flowmeter flowmetering flowmetered)) same ((moving piston plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser support supported supporter supporting)))				
S70	20	((g01f025/00.ipc. (73/1.16 73/1.18 73/1.19 73/1.22 73/1.23 73/1.17 73/1.21).ccls.) and ((moving piston plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser))) (((calibrate calibrated calibrator calibration calibrating calibrator prover proving proved prove) near10 (flow flowed flowing flowmeter flowmetering flowmetered)) same ((moving piston plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser)))	US-PGPUB	OR	ON	2008/09/18 18:50

S71	19	((g01f025/00.ipc. (73/1.16 73/1.18 73/1.19 73/1.22 73/1.23 73/1.17 73/1.21).cls.) and ((moving piston plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser))) (((calibrate calibrated calibrator calibration calibrating calibrator prover proving proved prove) near10 (flow flowed flowing flowmeter flowmetering flowmetered)) with ((moving piston plunger sphere spherical spherically ball ballshaped sphereshaped) near10 (wait waited waiting waiter holding hold held holder holded release released releasing releaser)))	USOCR	OR	ON	2008/09/18 19:05
-----	----	--	-------	----	----	---------------------

9/19/2008 12:22:20 PM

C:\Documents and Settings\tnoland\My Documents\EAST\workspaces\10581605.wsp